


Dairy Farming Systems and the environment

Dave Roberts
Head SRUC Dairy Research Centre
Crichton Royal Farm
Dumfries

SRUC systems research centres





SRUC Dairy Research Centre Crichton








Estimation of methane





• Equations:

CH4 (MJ/d) = $8.25 + 0.07 \times ME \text{ intake(MJ/d)}$ (Mills *et al.* 2003)


Milk sales (l/cow/year) and concentrate fed (kg/cow/year)






% reduction in enteric methane output by changing systems





Understand change






^{*} CO2 and N surplus - preliminary output of Capacity Building Project - WP4.2: Low C Rural Economy

Estimates enteric methane (g/kg milk) from different silage qualities






Compaction





Main Treatments of the Compaction Experiment





Each treatment area is 20m x 24m

Trampling Treatment







Heifers (12) introduced into each trampling area for 1 hour on two separate occasions – one week apart.

Tractor Treatment







Used a tractor with weight on the rear (Total weight 10,200kg).

Driven over the compaction area once on two separate occasions - one week apart.

Tractor should affect both the surface of the soil and at depth

Treatment Effects











Compaction Results – 1st Cut





Accumulated N₂O Emissions





Acknowledgements



- Defra and InveN₂Ory project team
- DairyCo Research Partnership
- Scottish Government

